

# CÔNG TY TNHH STC HÙNG CƯỜNG

Địa chỉ : 212 Đặng Hải, Hải An, Hải Phòng

Điện thoại: 02253 82 82 93 - 0965 893 666

Chuyên cung cấp các loại máy bơm và phụ kiện

## BẢNG GIÁ MÁY BƠM NƯỚC PENTAX 2020

STT	Model	HP	Q (m3/h)	H (m)	Giá (VNĐ)
<b>Bơm đầu Inox 304 - 1F-3F - 50Hz</b>					
1	INOX 80/60(cánh phíp )	0.8	0.6 - 2.4	48.5 - 7.6	5,700,000
2	INOX100/60(cánh phíp )	1	0.6 - 3	50 - 21	6,200,000
3	INOX100/62(cánh Inox )	1	0.6 - 3	50 - 21	6,700,000
4	INOXT100/62(cánh Inox )	1	0.6 - 3	50 - 21	6,700,000
5	MPXT120/5 (cánh phíp)	1.2	0.6-4.8	51-21	6,850,000
<b>Bơm hồ bơi Winner 1F-3F - 50Hz</b>					
6	WINNER 100M	1	4.0 - 16	23.2 - 8.7	11,200,000
7	WINNER 100T	1	4.0 - 16	23.2 - 8.7	11,200,000
8	WINNER 150M	1.5	4.0 - 18	27 - 10	12,200,000
9	WINNER 150T	1.5	4.0 - 18	27 - 10	12,200,000
10	WINNER 200M	2	6.0 - 18	28 - 12	14,200,000
11	WINNER 200T	2	6.0 - 18	28 - 12	14,200,000
12	WINNER 300M	3	6.0 - 21	32 - 12	16,800,000
13	WINNER 300T	3	6.0 - 21	32 - 12	16,800,000
<b>Bơm dân dụng 1F-3F - 50Hz</b>					
14	CR 100	1	2,4 - 16,8	20 - 10,5	4,500,000
15	CRT 100	1	2,4 - 16,8	20 - 10,5	4,500,000
16	CP 45	0,5	0.3 - 2.4	30 - 5	2,780,000
17	CP 75	1	0.3 - 3	61 - 18	3,500,000
18	MD100	1	0.3-2.7	53-9	5,700,000
19	MDT100	1	0.3-2.7	53-9	5,700,000
20	CM 50	0,5	1,2 - 5,4	20,5 - 12	3,360,000
21	CM 50/01	0,5	1,2 - 5,4	20,5 - 12	3,800,000
22	CM 75	0.8	1,2 - 5,4	25,8 - 17,5	4,040,000
23	CM75/01	0.8	1,2 - 5,4	25,8 - 17,5	4,500,000

24	CM 100	1	1,2 - 5,4	32,5 - 25	<b>4,100,000</b>
25	CMT 100	1	1,2 - 5,4	32,5 - 25	<b>4,200,000</b>
26	CM 164	1.5	1.2 - 6.6	40.5 - 29.5	<b>7,740,000</b>
27	CMT 164	1.5	1.2 - 6.6	40.5 - 29.5	<b>7,740,000</b>
28	CM 214	2	1.2 - 7.2	45.1 - 33.5	<b>8,150,000</b>
29	CMT 214	2	1.2 - 7.2	45.1 - 33.5	<b>7,810,000</b>
30	CM 314	3	1.2 - 7.8	54.5 - 41.9	<b>12,600,000</b>
31	CMT 314	3	1.2 - 7.8	54.5 - 41.9	<b>10,200,000</b>
32	CMT 550	5.5	3 - 21,1	56,5 - 42,5	<b>15,970,000</b>
33	CAB 150	1,5	1,2 - 5,4	56,5 - 32	<b>9,400,000</b>
34	CAB 200	2	1,2 - 6,6	59.5 - 34	<b>9,450,000</b>
35	CABT 200	2	1,2 - 6,6	59.5 - 34	<b>9,450,000</b>
36	CAB300	3	1,2 - 8,3	61 - 32	<b>10,700,000</b>
37	CABT 300	3	1,2 - 8,4	62 - 32	<b>10,700,000</b>
38	MB 200	2	2,4 - 9,6	42,1 - 26	<b>7,470,000</b>
39	MBT 200	2	2,4 - 9,6	42,1 - 26	<b>7,820,000</b>
40	MB 300	3	2,4 - 12	48,4 - 25	<b>8,050,000</b>
41	MBT 300	3	2,4 - 12	48,4 - 25	<b>8,190,000</b>
42	CAM 75	0.8	0,6 - 2. 4	42 - 24.9	<b>4,150,000</b>
43	CAM 100	1	0,6 - 3,6	47 - 10	<b>4,220,000</b>
44	CAMT 100	1	0,6 - 3,6	47 - 10	<b>4,220,000</b>
45	CAM 150	1,5	1,2 - 7,2	45,7 - 25	<b>7,760,000</b>
46	CAM 200	2	1,2 - 7,2	52,8 - 32,4	<b>8,050,000</b>
47	CAMT 200	2	1,2 - 7,2	52,8 - 32,4	<b>8,050,000</b>
48	AP 100 -2"	1	0.18 - 2.1	40 - 18	<b>7,350,000</b>
49	AP 200 -2"	2	1.8 - 3.6	48 - 27	<b>11,900,000</b>
50	PM 45	0,5	0,3 - 2.4	35 - 5	<b>3,100,000</b>
51	PM 45A	0,5	0,3 - 2.4	35 - 5	<b>3,600,000</b>
52	PM 80	1	0,3 - 3	61 - 18	<b>3,800,000</b>
53	PM45(A)+Bình 24L(Tăng (...))	0.5	0,3 - 2.4	35 - 5	<b>5,100,000</b>
<b>Bơm lưu lượng 1F-3F - 50Hz</b>					
54	CH 160	1.5	6 - 27	23.9-7.8	<b>9,500,000</b>

55	CHT 160	1.5	6 - 27	23.9-7.8	<b>9,400,000</b>
56	CH 210	2	6 - 27	25.9-10.6	<b>11,000,000</b>
57	CHT 210	2	6 - 27	27.6-12.2	<b>10,700,000</b>
58	CH 310	3	6 - 27	30.5-15.6	<b>14,500,000</b>
59	CHT 310	3	6 - 27	30.5-15.6	<b>13,900,000</b>
60	CHT 400	4	6 - 42	31.8 - 12.3	<b>15,750,000</b>
61	CHT 550	5.5	6 - 42	37 - 19	<b>16,960,000</b>
62	CST 100/2"	1	3 - 21	12.5 - 5.5	<b>4,940,000</b>
63	CS 200/3"	2	6 - 54	14.2 - 7.8	<b>11,290,000</b>
64	CST 200/3"	2	6 - 54	14.2 - 7.8	<b>11,290,000</b>
65	CS 300/3"	3	15 - 60	17.5 - 7.5	<b>14,970,000</b>
66	CST 300/3"	3	15 - 60	17.5 - 7.5	<b>14,640,000</b>
67	CST 400/3"	4	15 - 60	21.5 - 13.5	<b>15,200,000</b>
68	CST 550/4"	5.5	36 - 96	17.3 - 10	<b>16,470,000</b>
<b>Bơm Biến Tần (EPIC)+S.D</b>					
69	CABT 200/00 230 + EPIC+S.D	2	0,6 - 6,6	61 - 34	<b>24,500,000</b>
70	CAMT 100/00 230 + EPIC+S.D	1	0,6 - 3,6	47 - 10	<b>21,530,000</b>
71	INOXT 100/62 230+ EPIC+S.D	1	0.6 - 3	50 - 21	<b>23,000,000</b>
72	CMT 100/00 230 + EPIC+S.D	1	1,2 - 5,4	32,5 - 25,2	<b>20,100,000</b>
73	CMT 164/00 230 + EPIC+S.D	1,5	1,2 - 6,6	39,3 - 29,5	<b>24,300,000</b>
74	CMT214/00 + DEC114+S.D	2	1.2 - 7.2	45.1 - 33.5	<b>32,550,000</b>
75	U3S-100/5T + EPIC+S.D	1	0.6 - 4.8	53.5 - 17.7	<b>25,500,000</b>
76	U5S-180/6T + EPIC+S.D	1.8	1.8 - 8.4	64.4 - 18.1	<b>27,500,000</b>
<b>Bơm trực đứng đa tầng cánh Buồng inox 304 (Cánh Inox/ Phíp) 3F - 50Hz</b>					
77	U5V - 200/ 7T	2	1.8 - 8.4	73.6 - 12.5	<b>12,620,000</b>
78	U5V - 300/ 10T	3	1.8 - 8.4	103.9 - 21	<b>14,670,000</b>
79	U7V - 350/ 7T	3,5	2,4 - 10,2	83,3 - 32,2	<b>15,000,000</b>
80	U7V-300/6T	3	2,4 - 10,2	71,5 - 26,7	<b>13,500,000</b>
81	U7SV-300/6T (Cánh Inox)	3	2,4 - 10,8	70 - 26	<b>21,500,000</b>
82	U7V-400/8T	4	2,4 - 10,2	96,1 - 43	<b>17,310,000</b>
83	U7SV-400/8T (Cánh Inox)	4	2,4 - 10,8	93.3 - 33	<b>28,340,000</b>
84	U7V-550/10T	5.5	2,4 - 10,2	123,8 - 61	<b>22,710,000</b>

85	U9V-550/10T	5.5	3.6 - 15.6	111 - 20.1	<b>23,000,000</b>
86	U7SV-550/10T (Cánh	5.5	2,4 - 10,8	120.1 - 55.4	<b>32,750,000</b>
87	U18V-750/8T	7.5	6 - 24	92.6 - 34.3	<b>27,500,000</b>
88	U18V-900/9T	9	6 - 24	103,6 - 38,3	<b>29,500,000</b>
89	U18LG-1000/11T	10	6 - 24	129 - 50,7	<b>39,500,000</b>
90	U18LG-920/10T	9,2	6 - 24	115,6 - 39,1	<b>37,200,000</b>

**Bơm trực đứng đa tầng cánh (Buồng, Cánh Inox 304) 3F - 50Hz <=110 độ C**

91	U3SLG-350/ 14T	3.5	0.6 - 4.8	155.4 - 60	<b>44,090,000</b>
92	U3SLG-380/16T	3.8	0.6 - 4.9	170.2-65.2	<b>45,120,000</b>
93	U3SLG-400/ 18T	4	0.6 - 4.8	196 - 75.4	<b>48,120,000</b>
94	U5SLG-400/14T	4	1,8 - 7,2	151,2 - 79,6	<b>44,150,000</b>
95	U5SLG-450/ 16T	4.5	1.8 - 7.2	172.5 - 92.1	<b>46,950,000</b>
96	U5SLG-550/ 18T	5.5	1.8 - 7.2	194.4 - 102.1	<b>49,260,000</b>
97	U5SLG-600/ 20T	6	1.8 - 7.2	216.2 - 114.3	<b>51,200,000</b>
98	U7SLG-750/12T	7,5	2,4 - 9,6	144,5 - 90	<b>49,290,000</b>
99	U7SLG-800/14T	8	2,4 - 9,6	168,5 - 105	<b>50,810,000</b>
100	U7SLG-900/16T	9	2,4 - 9,6	192,7 - 123,8	<b>54,570,000</b>
101	U7SLG-950/18T	9,5	2,4 - 9,6	216,9 - 135	<b>59,010,000</b>
102	U7SLG-1000/20T	10	2,4 - 9,6	240,9 - 154,5	<b>60,540,000</b>
103	U9SLG-750/12T	7	3,6 - 14,4	133,4 - 42,8	<b>51,200,000</b>
104	U9SLG-800/14T	8	3,6 - 14,4	155,6 - 49,4	<b>54,620,000</b>
105	U9SLG-900/16T	9	3,6 - 14,4	180,9 - 67,7	<b>57,260,000</b>
106	U9SLG-950/18T	9,5	3,6 - 14,4	202,1 - 72,9	<b>62,010,000</b>
107	U9SLG-1000/20T	10	3,6 - 14,4	227,2 - 84,4	<b>63,960,000</b>

**Bơm trực ngang đa tầng cánh nước nóng (Buồng, Cánh Inox 304) 1F-3F<=110 độ C**

108	U3S - 90/4T	0.9	0.6 - 4.8	42.8 - 13.9	<b>9,000,000</b>
109	U3S - 100/5	1	0.6 - 4.8	53.5 - 17.7	<b>10,200,000</b>
110	U3S - 100/5T	1	0.6 - 4.8	53.5 - 17.7	<b>10,200,000</b>
111	U5S - 120/4	1,2	1,8 - 8,4	42,2 - 10,4	<b>11,430,000</b>
112	U5S - 120/4T	1,2	1,8 - 8,4	42,2 - 10,4	<b>11,430,000</b>
113	U5S - 150/5	1,5	1,8 - 8,4	53,4 - 14	<b>13,000,000</b>
114	U5S - 150/5T	1,5	1,8 - 8,4	53,4 - 14	<b>12,840,000</b>

115	U5S - 180/6T	1.8	1.8-8.4	64.4-18.1	<b>13,840,000</b>
116	U5S - 200/7	2	1,8 - 8,4	75.5 - 21	<b>16,000,000</b>
117	U5S - 200/7T	2	1,8 - 8,4	75.5 - 21	<b>15,850,000</b>
118	U7S - 120/3T	1.2	2.4 - 10.8	33.9 - 10	<b>9,100,000</b>
119	U9S - 150/3T	1.5	3.6 - 14.4	32.5 - 10.7	<b>14,840,000</b>

**Bơm trục ngang tự môi đa tầng cánh (Buồng Inox, Cánh Píp ) 1F-3F; <=35 độ C**

120	U3A - 90/4	0.9	0.6 - 4.2	38.3 - 15	<b>6,700,000</b>
121	U3A - 90/4T	0.9	0.6 - 4.2	38.3 - 15	<b>6,700,000</b>
122	U3A - 100/5	1	0.6 - 4.6	48.9 - 15	<b>7,710,000</b>
123	U3A - 100/5T	1	0.6 - 4.6	48.9 - 15	<b>7,710,000</b>
124	U3A - 120/4	1.2	0.6 - 5.4	42.3 - 17	<b>7,380,000</b>
125	U3A - 120/4T	1.2	0.6 - 5.4	42.3 - 17	<b>7,380,000</b>
126	U5A - 120/4	1.2	1.8 - 7	41.3 - 15	<b>7,560,000</b>
127	U5A - 120/4T	1.2	1.8 - 7	41.3 - 15	<b>7,560,000</b>
128	U5A - 150/5	1.5	1.8 - 7.8	53 - 15	<b>10,580,000</b>
129	U5A - 150/5T	1.5	1.8 - 7.8	53 - 15	<b>10,580,000</b>
130	U5A - 180/4	1.8	1.8 - 9	62.2 - 17	<b>10,160,000</b>
131	U5A - 180/4T	1.8	1.8 - 9	62.2 - 17	<b>9,810,000</b>

**Bơm tự môi đa tầng cánh (Buồng, Cánh Inox 304) 1F-3F; <= 110 độ C**

132	U3SA - 90/4	0.9	0.6 - 4.6	41 - 13.5	<b>9,400,000</b>
133	U3SA - 90/4T	0.9	0.6 - 4.6	41 - 13.5	<b>9,400,000</b>
134	U3SA - 100/5	1	0.6 - 4.6	52.1 - 16.8	<b>10,780,000</b>
135	U3SA - 100/5T	1	0.6 - 4.6	52.1 - 16.8	<b>10,780,000</b>
136	U3SA - 120/4	1.2	0.6 - 5.8	62.9 - 19.5	<b>10,080,000</b>
137	U3SA - 120/4T	1.2	0.6 - 5.8	62.9 - 19.5	<b>10,080,000</b>
138	U5SA - 120/4	1.2	1.8 - 7.8	41 - 13.5	<b>10,310,000</b>
139	U5SA - 120/4T	1.2	1.8 - 7.8	41 - 13.5	<b>10,310,000</b>
140	U5SA - 150/5	1.5	1.8 - 7.8	52.4 - 16.5	<b>14,160,000</b>
141	U5SA - 150/5T	1.5	1.8 - 7.8	52.4 - 16.5	<b>13,930,000</b>
142	U5SA - 180/4	1.8	1.8 - 8.4	62 - 31	<b>13,300,000</b>
143	U5SA - 180/4T	1.8	1.8 - 8.4	62 - 31	<b>12,860,000</b>

**Bơm đa tầng cánh (cánh đồng, thân gang) 3F - 50Hz**

144	MSVA 4/7,5	10	6 - 27	111,6 - 49,7	<b>67,000,000</b>
145	MSHA 4/7,5	10	6 - 27	111,6 - 49,7	<b>66,500,000</b>
146	MSVA 5/9.2	12.5	6 - 27	143 - 68.2	<b>71,400,000</b>
147	MSHA 5/9.2	12.5	6 - 27	143 - 68.2	<b>70,900,000</b>
148	MSVA 6/11	15	6 - 24	167,2 - 87.4	<b>75,800,000</b>
149	MSHA 6/11	15	6 - 24	167,2 - 87.4	<b>75,300,000</b>
150	MSVA 8/15	20	6 - 24	227,2 - 118,4	<b>105,500,000</b>
151	MSHA 8/15	20	6 - 24	227,2 - 118,4	<b>105,000,000</b>
152	MSVB 3/11	15	12 - 39	111,6 - 57,8	<b>70,500,000</b>
153	MSHB 3/11	15	12 - 39	111,6 - 57,8	<b>70,000,000</b>
154	MSVB 4/15	20	12 - 39	146,5 - 81,8	<b>92,000,000</b>
155	MSHB 4/15	20	12 - 39	146,5 - 81,8	<b>91,500,000</b>
156	MSVB 5/18,5	25	12 - 39	181 - 102	<b>104,210,000</b>
157	MSHB 5/18,5	25	12 - 39	181 - 102	<b>103,500,000</b>
158	MSVB 6/22	30	12 - 39	214,6 - 120,2	<b>112,870,000</b>
159	MSHB 6/22	30	12 - 39	214,6 - 120,2	<b>112,000,000</b>
160	MSVC 2R1/11	15	24 - 57	76,8 - 40,4	<b>66,500,000</b>
161	MSHC 2R1/11	15	24 - 57	76,8 - 40,4	<b>65,500,000</b>
162	MSVC 3R/15	20	24 - 57	109 - 50,6	<b>96,520,000</b>
163	MSHC 3R/15	20	24 - 57	109 - 50,6	<b>95,800,000</b>
164	MSVC 3/18,5	25	24 - 60	126 - 63,8	<b>104,900,000</b>
165	MSHC 3/18,5	25	24 - 60	126 - 63,8	<b>104,200,000</b>
166	MSVC 4R1/22	30	24 - 60	157.5 - 79.3	<b>119,000,000</b>
167	MSHC 4R1/22	30	24 - 60	157.5 - 79.3	<b>118,200,000</b>
168	MSVD 2/15	20	36 - 90	78 - 38,4	<b>85,500,000</b>
169	MSHD 2/15	20	36 - 90	78 - 38,4	<b>84,500,000</b>
170	MSVD 3R/18,5	25	36 - 90	101,5 - 44,7	<b>104,800,000</b>
171	MSHD 3R/18,5	25	36 - 90	101,5 - 44,7	<b>104,000,000</b>
172	MSVD 3/22	30	36 - 90	116 - 56,1	<b>115,800,000</b>
173	MSHD 3/22	30	36 - 90	116 - 56,1	<b>115,000,000</b>
174	MSVD 4/30	40	36 - 90	152.7 - 73,2	<b>152,000,000</b>
175	MSVD 5/37	50	36 - 90	188 - 90,9	<b>160,130,000</b>

176	MSVC 5/30	40	24 - 60	208,5 - 111,3	<b>156,000,000</b>
177	MSHC 5/30	40	24 - 60	208,5 - 111,3	<b>155,000,000</b>
178	MSVC 6/37	50	24 - 60	252 - 134,8	<b>164,380,000</b>
179	MSHC 6/37	50	24 - 60	252 - 134,8	<b>163,800,000</b>
<b>Bơm nước thải (thân bơm và cánh bơm là plastic) 1F - 50Hz</b>					
180	DP40 G (H05RNF 10m)	0.25	1.2 - 4.8	5.7 - 2.5	<b>4,800,000</b>
181	DP60 G (H05RNF 10m)	0.5	1.2 - 7.2	8.5 - 2.6	<b>5,600,000</b>
182	DP80 G (H07RNF 10m)	1	3 - 12	10.3 - 4	<b>6,700,000</b>
183	DP100 G (H07RNF 10m)	1	3 - 15	13.3 - 4.5	<b>6,900,000</b>
<b>Bơm nước thải (thân bơm, guồng và cánh bơm là Inox ) 1F-3F - 50Hz</b>					
184	DX80 G 2"	1.4	3 - 12	7.4 - 3.5	<b>8,200,000</b>
185	DXT80 2"	1.4	3 - 12	7.4 - 3.5	<b>8,600,000</b>
186	DX100 G 2"	1.8	3 - 18	9.8 - 3.5	<b>8,590,000</b>
187	DXT100 2"	1.8	3 - 18	9.8 - 3.5	<b>8,770,000</b>
<b>Bơm nước thải (thân bơm gang, guồng và cánh bơm là Inox ) 1F-3F - 50Hz</b>					
188	DB100G	1.8	6 - 36	9.5 - 2.2	<b>9,200,000</b>
189	DBT100	1.8	6 - 36	9.5 - 2.2	<b>9,600,000</b>
190	DB150G	2.3	6 - 39	11.5 - 3.4	<b>9,500,000</b>
191	DBT150	2.3	6 - 39	11.5 - 3.4	<b>9,750,000</b>
<b>Bơm nước thải (thân bơm gang, guồng và cánh bơm là Inox/Đồng ) 1F-3F - 50Hz</b>					
192	DG80 G 2"	1.4	3 - 15	8.3 - 3.7	<b>7,630,000</b>
193	DGT80 2"	1.4	3 - 15	8.3 - 3.7	<b>7,880,000</b>
194	DG100 G 2"	1.8	3 - 18	10.4 - 5.7	<b>8,100,000</b>
195	DGT100 2"	1.8	3 - 18	10.4 - 5.7	<b>8,260,000</b>
196	DH100G	1,8	3 - 18	18,4 - 4,4	<b>8,600,000</b>
197	DHT100	1,8	3 - 18	18,4 - 4,4	<b>8,680,000</b>
198	DH 80G	1,3	3 - 15	14,9 - 4,3	<b>8,300,000</b>
199	DHT80	1,3	3 - 15	14,9 - 4,3	<b>8,400,000</b>
<b>Bơm nước thải công nghiệp (vỏ gang) 3F - 50Hz - Không bao gồm coupling</b>					
200	DMT 160	1.5	6 - 54	15,3 - 3,8	<b>21,150,000</b>
201	DMT 210	2	6 - 54	18,4 - 5,2	<b>21,700,000</b>
202	DMT 310	3	6 - 60	22,2 - 6,4	<b>22,500,000</b>

203	DMT 410	4	6 - 72	24,6 - 8,3	<b>31,600,000</b>
204	DMT 560	5.5	6 - 78	27.5 - 8.9	<b>32,500,000</b>
205	DMT 400 - 4	4	12 - 96	12.7 - 4	<b>34,500,000</b>
206	DMT 750-4	7.5	12 - 180	16.2 - 2.6	<b>49,500,000</b>
207	DMT 1000	10	12 - 144	30.9 - 2.1	<b>52,000,000</b>
208	DCT 160	1,5	6 - 36	17,9 - 3	<b>20,370,000</b>
209	DCT 210	2	6 - 39	22,2 - 4,5	<b>20,900,000</b>
210	DCT 310	3	6 - 42	25,4 - 5,9	<b>21,900,000</b>
211	DCT 410	4	6 - 48	31,6 - 5,9	<b>34,000,000</b>
212	DCT 560	5,5	6 - 51	36,1 - 6,5	<b>35,000,000</b>
213	DCT 750	7,5	12 - 54	42,9 - 13,1	<b>47,500,000</b>
214	DCT 1000	10	12 - 54	49,8 - 19,7	<b>53,000,000</b>
<b>Bơm nước thải công nghiệp có cánh cắt (vỏ gang) 3F - 50Hz - Không bao gồm coupling</b>					
215	DTRT 150	1,5	3 - 18	18,5 - 9,9	<b>22,050,000</b>
216	DTRT 200	2	3 - 18	21,3 - 13,4	<b>22,370,000</b>
217	DTRT 300	3	3 - 18	25,2 - 18,2	<b>23,100,000</b>
218	DTRT 400	4	3 - 18	31,8 - 21,6	<b>36,000,000</b>
219	DTRT 550	5,5	3 - 18	36,9 - 27,6	<b>37,000,000</b>
220	DTRT 750	7,5	3 - 21,6	46,2 - 11	<b>49,200,000</b>
221	DTRT 1000	10	3 - 21,6	52,7 - 15	<b>54,500,000</b>
<b>Bơm công nghiệp liền trục 3F - 50Hz</b>					
222	CBT 600	5.5	1,5 - 13.5	79.1 - 54.5	<b>17,600,000</b>
223	CBT 800	7.5	6 - 30	76,4 - 36	<b>28,300,000</b>
224	CM 32-160C	2	4.5 - 21	24.4 - 14.1	<b>13,650,000</b>
225	CM 32-160B	3	6 - 24	28.5 - 14.8	<b>14,750,000</b>
226	CM 32-160A	4	6 - 27	36.4 - 22.3	<b>16,000,000</b>
227	CM 32-200C	5,5	6 - 27	39,7 - 27,6	<b>17,600,000</b>
228	CM 32-200B	7,5	6 - 30	50.2 - 32.5	<b>23,740,000</b>
229	CM 32-200A	10	6 - 33	59 - 42,5	<b>24,900,000</b>
230	CM 32-250B	15	7,5 - 30	81 - 52.5	<b>32,000,000</b>
231	CM 32-250A	20	7,5 - 30	92,5 - 66	<b>50,530,000</b>
232	CM 40-160B	4	9 - 39	30.1 - 19.1	<b>17,000,000</b>



233	CM 40-160A	5.5	9 - 42	35.6 - 23.5	<b>17,640,000</b>
234	CM 40-200B	7.5	9 - 42	44.9 - 27.9	<b>23,900,000</b>
235	CM 40-200A	10	9 - 42	57.7 - 40.3	<b>25,060,000</b>
236	CM 40-250B	15	9 - 42	71.3 - 55.6	<b>31,900,000</b>
237	CM 40-250A	20	9 - 48	86.3 - 67.9	<b>49,500,000</b>
238	CM 50-125A	5.5	12 - 72	25.2 - 16.2	<b>17,640,000</b>
239	CM 50-160B	7.5	21 - 78	32.1 - 15.2	<b>24,000,000</b>
240	CM 50-160A	10	21 - 78	37.9 - 22.6	<b>25,000,000</b>
241	CM 50-200C	12.5	24 - 72	45.6 - 24.5	<b>29,300,000</b>
242	CM 50-200B	15	24 - 72	51.0 - 32.0	<b>31,500,000</b>
243	CM 50-200A	20	24 - 78	58.3 - 38.8	<b>49,200,000</b>
244	CM 50-250C	20	27 - 78	70.8 - 50.5	<b>50,000,000</b>
245	CM 50-250B	25	27 - 78	78.0 - 58.3	<b>55,130,000</b>
246	CM 50-250A	30	27 - 78	89.5 - 71.7	<b>58,220,000</b>
247	CM 65-125B	7.5	30 - 120	20.4 - 11.1	<b>24,360,000</b>
248	CM 65-125A	10	30 - 132	26.4 - 16.5	<b>25,200,000</b>
249	CM 65-160B	15	42 - 144	34.6 - 21.1	<b>30,910,000</b>
250	CM 65-160A	20	42 - 144	40.6 - 29.8	<b>50,130,000</b>
251	CM 65-200C	20	54 - 132	46.3 - 28	<b>50,600,000</b>
252	CM 65-200B	25	54 - 144	52.6 - 31.3	<b>56,070,000</b>
253	CM 65-200A	30	54 - 144	61 - 41.7	<b>57,750,000</b>
254	CM 65-250B	40	54 - 144	79.5 - 48.5	<b>105,500,000</b>
255	CM 65-250A	50	54 - 156	89.5 - 54.0	<b>112,500,000</b>
256	CM 80-160D	15	66 - 180	26.4 - 15.1	<b>31,770,000</b>
257	CM 80-160C	20	66 - 195	30.7- 17.2	<b>49,100,000</b>
258	CM 80-160B	25	66 - 210	35 - 21	<b>55,650,000</b>
259	CM 80-160A	30	66 - 225	39.8 - 23.5	<b>58,590,000</b>
260	CM 80-200A	50	96 - 225	50.6 - 38.6	<b>113,400,000</b>
261	CM 80-200B	40	96 - 240	59.6 - 46.1	<b>106,000,000</b>
262	CM 100 - 160B	40	96 - 330	41,1 - 25,1	<b>110,500,000</b>
263	CM 100 - 160A	50	96 - 330	45,1 - 31	<b>117,000,000</b>

**Bơm chìm giếng khoan 4 Inch/6 Inch+ Động cơ Pentax (hoặc Coverco/PM) 220/380V- 50Hz**

264	4L 7/ 6	1,0	2.4-9.6	36-15	<b>10,880,000</b>
265	4L 7/ 9	1,5	2.4-9.6	54-23	<b>13,100,000</b>
266	4L 7/ 13	2,0	2.4-9.6	78-33	<b>14,730,000</b>
267	4L 7/ 17	3,0	2.4-9.6	102-43	<b>19,910,000</b>
268	4L 7/ 23	4.0	2.4-9.6	138-58	<b>26,300,000</b>
269	4L 9/ 9	2,0	4.8-12	56-23	<b>14,000,000</b>
270	4L 9/ 13	3.0	4.8-12	81-33	<b>18,880,000</b>
271	4L 9/ 17	4,0	4.8-12	106-43	<b>23,710,000</b>
272	4L 16/ 9	3,0	19-24	45-17	<b>21,520,000</b>
273	4L 16/ 13	4.0	19-24	65-24	<b>26,140,000</b>
274	4L 16/ 17	5,5	19-24	85-31	<b>31,570,000</b>
275	4L 16/ 23	7.5	19-24	115-43	<b>46,340,000</b>
276	4L 16/ 32	10,0	19-24	160-59	<b>51,800,000</b>
277	6L 17/ 13	15	9 - 27	202-60	<b>67,740,000</b>
278	6L 17/ 18	20	9 - 27	280-83	<b>71,760,000</b>
279	6L 23/ 7	7,5	12 - 36	82-20	<b>53,840,000</b>
280	6L 23/ 9	10,0	12 - 36	105-26	<b>56,840,000</b>
281	6L 35/ 4	7.5	18 - 48	53-17	<b>54,280,000</b>
282	6L 35/ 5	10	18 - 48	67-22	<b>56,590,000</b>
283	6L 35/ 8	15,0	18 - 48	106-35	<b>65,960,000</b>
284	6L 35/10	20,0	18 - 48	133-43	<b>72,000,000</b>
285	6L 43/09	15	24 - 54	88-45	<b>66,000,000</b>
286	6L 43/12	20	24 - 54	117-60	<b>74,000,000</b>
287	6L 43/18	30	24 - 54	176-90	<b>82,700,000</b>
<b>Đầu bơm rời trục Pentax CA</b>					
288	CA 50-200B	15	27 - 72	51 - 32	<b>17,500,000</b>
289	CA 50-250C	25	27 - 78	70.8 - 50.5	<b>19,800,000</b>
290	CA 50-250B	30	27 - 78	78.0 - 58.3	<b>19,800,000</b>
291	CA 50-250A	40	27 - 78	89.5 - 71.7	<b>19,800,000</b>
292	CA 50-315BN	75	42 - 144	124.3 - 103.5	<b>52,630,000</b>
293	CA 50-315AN	100	42 - 144	146.9 - 125.8	<b>52,630,000</b>
294	CA 65-250B	40	54 - 144	79.5 - 48.5	<b>33,500,000</b>

295	CA 65-250A	50	54 - 156	89.5 - 54.0	<b>33,500,000</b>
296	CA 65-315BN	100	54 - 195	121.6 - 101.1	<b>51,500,000</b>
297	CA 65-315AN	125	54 - 210	138.3 - 110.4	<b>51,500,000</b>
298	CA 80-200B	40	96 - 225	50.6 - 38.6	<b>33,920,000</b>
299	CA 80-200A	50	96 - 240	59.6 - 46.1	<b>33,920,000</b>
300	CA 80-250B	60	96 - 225	80 - 58.8	<b>51,720,000</b>
301	CA 80-250A	75	96 - 240	92.8 - 65.2	<b>51,720,000</b>
302	CA 80-315BN	125	78 - 255	112.4 - 90.8	<b>55,020,000</b>
303	CA 80-315AN	150	78 - 255	141.4 - 118.5	<b>55,020,000</b>
304	CA 100 - 200B	60	108 - 330	56.8 - 39.7	<b>46,200,000</b>
305	CA 100 - 200A	75	108 - 360	62.2 - 42.5	<b>46,200,000</b>
306	CA 100 - 250B	100	120 - 330	83.7 - 67.6	<b>55,000,000</b>
307	CA 100 - 250A	125	120 - 360	93.9 - 73.2	<b>55,000,000</b>
308	CA 100 - 315B	20	72 - 216	31.4 - 17.9	<b>64,050,000</b>
309	CA 100 - 315A	25	72 - 216	36.5 - 23.1	<b>64,050,000</b>
310	CA 100 - 400C	30	84 - 228	40.6 - 25.8	<b>101,850,000</b>
311	CA 100 - 400B	40	84 - 240	48.7 - 31.6	<b>101,850,000</b>
312	CA 100 - 400A	50	84 - 252	56 - 36.7	<b>101,850,000</b>
313	CA 150 - 400B	100	168 - 588	54.4 - 34.3	<b>106,050,000</b>
314	CA 150 - 400A	125	168 - 612	60.3 - 39.8	<b>106,050,000</b>